

Message

From: Sutin, Elyana [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=F706635F0DB94D408DA8C8FBAF7556F9-SUTIN, ELYANA]
Sent: 12/14/2021 6:13:42 PM
To: Schefski, Kenneth (KC) [Schefski.Kenneth@epa.gov]
Subject: RE: North Dakota Mercury Water Quality criteria

This is so bizarre, I had a dream about Dave Glatt last night. I had no idea why...and now this.

Elyana R. Sutin
Deputy Regional Counsel
U.S. EPA Region 8
1595 Wynkoop St.
Denver, CO 80202

work: 303.312.6899 | cell: 303.253.5149 | fax: 303.312.6859



From: Schefski, Kenneth (KC) <Schefski.Kenneth@epa.gov>
Sent: Tuesday, December 14, 2021 10:23 AM
To: Joffe, Brian <Joffe.Brian@epa.gov>; Volk, Everett <volk.everett@epa.gov>
Cc: Sutin, Elyana <Sutin.Elyana@epa.gov>
Subject: FW: North Dakota Mercury Water Quality criteria

FYI

K.C. Schefski (he/him/his)
Regional Counsel
US EPA, Region 8
1595 Wynkoop Street
Denver, CO 80202

Work: 303.312.6843 | Cell: 303-549-5915 | Fax: 303-312-7202

This email is for the intended recipient only and may contain material that is privileged and/or confidential. If you believe you have received this email in error, please notify the sender. Thank you.


From: Rockeman, Karl H. <krockema@nd.gov>
Sent: Tuesday, December 14, 2021 10:05 AM
To: Becker, KC <Becker.KC@epa.gov>
Cc: Garcia, Bert <Garcia.Bert@epa.gov>; Thomas, Deb <thomas.debrah@epa.gov>; Olson, Margaret I. <maiolson@nd.gov>; Schefski, Kenneth (KC) <Schefski.Kenneth@epa.gov>
Subject: North Dakota Mercury Water Quality criteria

Please see the attached letter from Director Dave Glatt regarding the status of the review of North Dakota's mercury water quality criteria.

Thank you.

Karl Rockeman
Director
Division of Water Quality

701.328.5210 • KRockema@ND.gov



<https://deg.nd.gov/> • 4201 Normandy Street • Bismarck, ND 58503-1324